

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S43	397	((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <"20010423" or @RLAD <"20010423")) and (correspon\$4 or correlat\$3 or relat\$3 or associat\$3) near10 (interface or adaptor or adapter or device) near10 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:59
S44	2	("20020147832").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 16:26
S45	31	S43 and discovery and DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:57
S46	23	S45 and (second or plurality of second or multiple) adj3 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:50
S47	0	S43 and (first and second) adj4 discovery and DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:38
S48	2	S43 and (first and second or multiple or different) adj4 discovery and DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:48
S49	4	S43 and persisten\$3 with network near5 (name or identity or ID or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:50
S50	3	S43 and (first and second or multiple or differ\$4) adj4 discovery and DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:48
S51	1409	((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <"20010423" or @RLAD <"20010423"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:47

S52	6	S51 and (second or multiple or different) adj4 discover\$3 adj4 (algorithms or methods or mechanism or criteria or rule or technique or technology)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 08:20
S53	776	S51 and (second or plurality of second or multiple or different) adj3 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:50
S54	4	S51 and persisten\$3 with network near5 (name or identity or ID or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:54
S55	0	S51 and ("same" or identical or persisten\$3) with network near5 (name or identity or ID or identification) with reconnect\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:52
S56	0	S44 and discovery and DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:57
S57	397	((find\$3 or discover\$3 o retriv\$5 or obtain\$3 or explor\$3) adj10 network near5 (topology or configuration or name)) and (@AD <"20010423" or @RLAD <"20010423")) and (correspon\$4 or correlat\$3 or relat\$3 or associat\$3) near10 (interface or adaptor or adapter or device) near10 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/10 16:59
S58	1409	((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <"20010423" or @RLAD <"20010423"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 08:21
S59	6	S58 and (second or multiple or different) adj4 discover\$3 adj4 (algorithms or methods or mechanism or criteria or rule or technique or technology)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 08:21
S60	9	S58 and (plurality or another or additional or second or multiple or different) adj4 discover\$3 adj4 (algorithms or methods or mechanism or criteria or rule or technique or technology)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 08:22

S61	3	S60 not S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 08:22
-----	---	-------------	---	----	----	------------------